



Pony Testing International Group

Report No.: 1008173-151~1

MSDS Report

Samples Lithium-ion Battery(SE40AHA)

Client Unit China Aviation Lithium Battery(LuoYang) Co., Ltd.

Client Address No.36 High New Tech Development Zone,
LuoYang, Henan Province, China.

and justice of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect consequences because of the result. This report is invalid without signatures of approver and special seal for inspection of PONY, or it has been reproduced in full or part. This report is issued by PONY Testing International Group in General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

PONY Test Report is a unique report code, namely, each code corresponds with only one "Test Report".
PONY Test Report is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.
PONY Test Report is not exposed to give "PONY" security print under any circumstance.
PONY Test Report is printed on anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeiting money detector.

www.ponytest.com Hotline 400-819-5688

Address: Yingde Building, No. 44-1, Beifan Road, Haidian District, Beijing	Building 15, No. 1091, Guojing Road, Xuhui District, Shanghai	Building 16 of Dongyong Industry City, Changyuan Road, Nanxin District, Shenzhen	No. 2-1, Keyuan West Road, UH-4049 Park, Luodan District, Qinghai
Tel: (010) 62618116	(021) 64851999	(0755) 26050909	(091) 88706866
Fax: (010) 82619629	(021) 64850401	(0755) 26060336	(091) 88706877
E-mail: pony@ponytest.com	sdh@ponytest.com	sd@ponytest.com	qhd@ponytest.com

Pony Testing International Group



Pony Testing International Group

Report No. : 1008173-151~1 Date: 09.03.2010 Page 1

Material Safety Data Sheet

Section 1 - Chemical Product and Company Identification

Product Name: Lithium-ion Battery

Sample Code: SE40AHA

Manufacture: China Aviation Lithium Battery (LuoYang) Co., Ltd.

Address: No.36 High New Tech Development Zone, LuoYang, Henan Province, China.

Post Code: 471003

Tel: 0379-65112796

Emergency Telephone: 0379-65112796

Fax: 0379-65196088

E-mail: luguimei123@126.com

Section 2 - Composition/Information on Ingredient

Chemical composition	Molecule formula	CAS No.	Weight (%)
Iron	Fe	7439-89-6	13
Phosphorus	P	7723-14-0	7
Graphite	C	7782-42-5	18
Lithium	Li	7439-93-2	2
Polypropylene	(C ₃ H ₆) _n	9003-07-0	19
Copper	Cu	7440-50-8	12
Aluminum	Al	7429-90-5	8
Fluorine	F	7782-41-4	2
Oxygen	O	7782-44-7	18

Section 3 - Hazards Identification

PONY assumes objectivity and justice of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, its direct and indirect losses, and all legal consequences because of the result. This report is invalid without signature of approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning the Anti-counterfeiting

- "PONY Test Report" has circular report code, namely, each code corresponds with only one "Test Report".
- "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.
- "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet evaluation, e.g. a UV counterfeits money detector.

www.ponytest.com ☎Hotline 400-819-5688

Add: Jingde Building No.49-1, Xuehuo Road, Haidian District, Beijing Tel: (010)82141116 Fax: (010)82119629 E-mail: pony@ponytest.com	Building 15, No.481, Guojing Road, Xuhui District, Shanghai Tel: (021)64851999 Fax: (021)64856803 E-mail: sh@ponytest.com	Building 6/2, Honggang Industry City, Changyuan Road, Nanhai District, Shenzhen Tel: (0755)20059909 Fax: (0755)20005336 E-mail: sz@ponytest.com	No.2-1, Xeyuan West Road, Jishui Park, Luodian District, Qinghai Tel: (0532)88796866 Fax: (0532)88796877 E-mail: qd@ponytest.com
---	--	--	---



Pony Testing International Group

Report No. : 1008173-151~1 Date: 09.03.2010 Page 2

Health Hazards (Acute and Chronic)

These chemicals are contained in a sealed can. Risk of exposure occurs only if the battery is mechanically or electrically abused. Contact of electrolyte and extruded lithium with skin and eyes should be avoided.

Sign/Symptoms of Exposure

A shorted lithium battery can cause thermal and chemical burns upon contact with the skin. May be a reproductive hazard.

Section 4 - First Aid Measures

Eyes

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin

Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid.

Inhalation

Remove from exposure and move to fresh air immediately. Use oxygen if available.

Ingestion

Give at least 2 glasses of milk or water. Induce vomiting unless patient is unconscious. Call a physician.

Section 5 - Fire Fighting Measures

Flash Point: N/A.

Auto-Ignition Temperature: N/A.

Extinguishing Media

Dry chemical, CO₂.

Special Fire-Fighting Procedures

Self-contained breathing apparatus.

Unusual Fire and Explosion Hazards

Cell may vent when subjected to excessive heat-exposing battery contents.

Hazardous Combustion Products

Carbon monoxide, carbon dioxide, lithium oxide fumes.

PONY assures objectivity and justice of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because for use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is issued without signatures or approval and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit

- "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".
- "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.
- "PONY Test Report" uses anti-counterfeiting paper with watermark which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a 1/1 counterfeiting money detector.

www.ponytest.com ☎Hotline 400-819-5688

<p>ADD: Yingshi Industrial No. 19-3, Section Road, Haidian District, Beijing</p> <p>Tel: (010) 82618116</p> <p>Fax: (010) 82619629</p> <p>E-mail: pony@ponytest.com</p>	<p>Building 15 No. 681, Qingpu Road, Xuhui District, Shanghai</p> <p>(021) 64851999</p> <p>(021) 64836805</p> <p>sh@ponytest.com</p>	<p>Building 6 of Zhongguo Industry City, Changyu Road, Nantong District, Shenzhen</p> <p>(0755) 26050909</p> <p>(0755) 26068336</p> <p>sz@ponytest.com</p>	<p>No. 2, 1, Keyuan West Road, Jishi Park, Luodun District, Qinghai</p> <p>(0532) 88708866</p> <p>(0532) 88706877</p> <p>qh@ponytest.com</p>
---	--	--	--



Pony Testing International Group

Section 6 - Accidental Release Measures

Steps to be Taken in case Material is Released or Spilled

If the battery material is released, remove personnel from area until fumes dissipate. Provide maximum ventilation to clear out hazardous gases. Wipe it up with a cloth, and dispose of it in a plastic bag and put into a steel can. The preferred response is to leave the area and allow the batteries to cool and vapors to dissipate. Provide maximum ventilation. Avoid skin and eye contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerate.

Waste Disposal Method

It is recommended to discharge the battery to the end, handing in the abandoned batteries to related department unified, dispose of the batteries in accordance with approved local, state, and federal requirements. Consult state environmental protection agency and/or federal EPA.

Section 7 - Handling and Storage

The batteries should not be opened, destroyed or incinerate, since they may leak or rupture and release to the environment the ingredients that they contain in the hermetically sealed container. Do not short circuit terminals, or over charge the battery, forced over-discharge, throw to fire. Do not crush or puncture the battery, or immerse in liquids.

Precautions to be taken in handling and storing

Avoid mechanical or electrical abuse. Storage preferably in cool, dry and ventilated area, which is subject to little temperature change. Storage at high temperatures should be avoided. Do not place the battery near heating equipment, nor expose to direct sunlight for long periods.

Other Precautions

Batteries may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

Section 8 - Exposure Controls, Personal Protection

Respiratory Protection

In case of battery venting, provide as much ventilation as possible. Avoid confined areas

PONY ensures objectivity and justice of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit

1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".

2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.

3. "PONY Test Report" uses anti-counterfeiting paper with watermark which shall show colorless fluorescent "PONY" mark under ultra violet radiation, e.g. a UV counterfeit money detector.

Pony Testing International Group

www.ponytest.com ☎ Hotline 400-819-5688

Address	7, ngzhd Building, No. 49-3, Suzhou Road, Haidian District, Beijing	Building 33, No. 686, Cuiqing Road, Xuhui District, Shanghai	Building 6 of Zhongguang Industry City, Chuangye Road, Nantanzhou District, Shenzhen	No. 2 - UK Crystal World Road, Hitech Park, Lianhua District, Qingdao
Tel	861082618116	862146451999	8675526059909	8653246679666
Fax	861082619629	862146456483	8675526068336	8653246679667
E-mail	pony@ponytest.com	sh@ponytest.com	sz@ponytest.com	qd@ponytest.com



Pony Testing International Group

with venting batteries. Respiratory Protection is not necessary under conditions of normal use.

Ventilation

Not necessary under conditions of normal use.

Protective Gloves

Not necessary under conditions of normal use.

Other Protective Clothing or Equipment

Not necessary under conditions of normal use.

Personal Protection is recommended for venting batteries: Respiratory Protection, Protective Gloves, Protective Clothing and safety glass with side shields.

Section 9 - Physical and Chemical Properties

Nominal Voltage: 3.2V.

Rated Capacity: 40Ah.

Electric Energy: 128Wh.

Appearance characters: Blue, quadrate, with odorless solid battery.

Chemical Use: Power for electric vehicles, electric buses.

Section 10 - Stability and Reactivity

Stability

Stable

Conditions to Avoid

Heating, mechanical abuse and electrical abuse.

Hazardous Decomposition Products

N/A.

Hazardous Polymerization

N/A.

If leaked, forbidden to contact with strong oxidizers, mineral acids, strong alkalis, halogenated hydrocarbons.

Section 11 - Toxicological Information

PONY assumes objectivity and justice of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit

- "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".
- "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying. Duplicates are not expected to give "PONY" security print under any circumstances.
- "PONY Test Report" uses anti-counterfeiting paper with watermark which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

www.ponytest.com ☎Hotline 400-819-5688

A.E.:	Yingde Building, No. 49-1, Suzhou Road, Shanghai District, Beijing	Building 35, No. 681, Gaoping Road, Xuhui District, Shanghai	Building 606 of Songjiang Industry City, Chongqing Road, Nanchang District, Shenzhen	No. 2-1, Xuyuan West Road, Jiushui Park, London District, Chengde
Tel:	(010) 82511116	(021) 64851999	(0755) 26050909	(0532) 88706806
Fax:	(010) 82511929	(021) 64856403	(0755) 26068336	(0532) 88706877
E-mail:	pony@ponytest.com	cs@ponytest.com	en@ponytest.com	gd@ponytest.com



Pony Testing International Group

Report No. : 1008173-151~1 Date: 09.03.2010 Page 5

Inhalation, skin contact and eye contact are possible when the battery is opened. Exposure to internal contents, the corrosive fumes will be very irritating to skin, eyes and mucous membranes. Overexposure can cause symptoms of non-fibroid lung injury and membrane irritation.

Section 12 - Ecological Information

When promptly used or disposed the battery does not present environmental hazard. When disposed, keep away from water, rain and snow.

Section 13 - Disposal Considerations

APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION

If batteries are still fully charged or only partially discharged, they can be considered a reactive hazardous waste because of significant amount of not creation, or unconsumed lithium remaining in the spent battery. The batteries must be neutralized through an approved secondary treatment facility prior to disposal as a hazardous waste. Recycling of battery can be done in authorized facility, through licensed waste carrier.

Section 14 - Transport Information

The Lithium-ion Battery (SE40AHA) has passed the test UN38.3, according to the report ID: 1008173-148 and 1008173-148a.

IATA Proper Shipping Name: Lithium Ion Batteries

Hazard Class: 9

UN No.: UN3480

Packaging group: II

Watt-hour exceeds the standard, so it belongs to dangerous goods. Cargo only.

The goods are packaged according to the packaging instruction 965 of DGR.

IMDG Proper Shipping Name: Lithium Ion Batteries

Hazard Class: 9

UN No.: UN3480

Packaging group: II

PONY assumes objectivity and justice of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because of use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of approver and special seal for inspectors of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unless false, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit

1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".

2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying. Duplicants are not expected to give "PONY" security print under any circumstances.

3. "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeit money detector.

Pony Testing International Group

www.ponytest.com ☎Hotline 400-819-5688

ADD: Yingshi Building, No. 44-3, Beichen Road, Haidian District, Beijing
Tel: 861082618114
Fax: 101982619629
E-mail: pony@ponytest.com

Building 35, No. 680, Guoping Road, Xuhui District, Shanghai
Tel: 8621 64851999
Fax: 8621 64856401
cdh@ponytest.com

Building 6, Zhongxing Industry City, Changyuan Road, Nanhai District, Shenzhen
Tel: 86755 26659999
Fax: 86755 26668136
sh@ponytest.com

No. 2-1, Keyuan West Road, Jishi Park, Luoshan District, Qingdao
Tel: 86532 88706066
Fax: 86532 88706827
qd@ponytest.com



Pony Testing International Group

Report No. : 1008173-151~1 Date: 09.03.2010 Page 6

Watt-hour exceeds the standard, so it belongs to dangerous goods.

The goods are packaged according to the special provision 188 of IMDG.

More information concerning shipping, testing, marking and packaging can be obtained from Label master at <http://www.labelmaster.com>.

Separate Lithium-ion batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport. Take in a cargo of them without falling, dropping, and breakage. Prevent collapse of cargo piles and wet by rain.

Transport Fashion: By air, by sea, by railway, by highway.

Section 15 - Regulatory Information

Law Information

- 《Dangerous Goods Regulation》
- 《Recommendations on the Transport of Dangerous Goods Model Regulations》
- 《International Maritime Dangerous Goods》
- 《Technical Instructions for the Safe Transport of Dangerous Goods》
- 《Classification and code of dangerous goods》
- 《Occupational Safety and Health Act》 (OSHA)
- 《Toxic Substances Control Act》 (TSCA)
- 《Consumer Product Safety Act》 (CPSA)
- 《Federal Environmental Pollution Control Act》 (FEPCA)
- 《The Oil Pollution Act》 (OPA)
- 《Superfund Amendments and Reauthorization Act Title III (302/311/312/313)》 (SARA)
- 《Resource Conservation and Recovery Act》 (RCRA)
- 《Safety Drinking Water Act》 (CWA)
- 《California Proposition 65》
- 《Code of Federal Regulations》 (CFR)

In accordance with all Federal, State and Local laws.

Section 16 - Additional Information

The above information is based on the data of which we are aware and is believed to be

PONY assumes objectivity and justice of the test, and fulfil the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, in direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of approver and spec of seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning for Anti-Counterfeit

1. "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".

2. "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying.

Duplications are not expected to give "PONY" security print under any circumstances.

3. "PONY Test Report" uses anti-counterfeiting paper with watermarks which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeits money detector.

www.ponytest.com		☎Hotline 400-819-5688	
Add: Jingzhibuilding, No.45-1, Jingfeng Road, Haidian District, Beijing Tel: (010)82618114 Fax: (010)82619629 E-mail: pony@ponytest.com		Building 15, No.880, Caoping Road, Xuhui District, Shanghai Tel: (021)64651999 Fax: (021)64835483 E-mail: sh@ponytest.com	
Building 67, Zhongyuan Industry City, Changyuan Road, Nantong District, Shanghai Tel: (0755)26659999 Fax: (0755)26664336 E-mail: sz@ponytest.com		No.2-1, Keyuan West Road, Haidian Park, Lianhua District, Qingdao Tel: (0532)88700666 Fax: (0532)88700633 E-mail: qd@ponytest.com	

Pony Testing International Group



Pony Testing International Group

correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

Approved by:

MSDS Creation Date: September 03, 2010



PONY assures objectivity and justice of the test, and fulfill the duty of confidentiality for applicant's information. Applicant should undertake responsibility for the authenticity of submitted sample and information. Unless otherwise stated the results shown in the report refer only to the sample(s) tested. PONY shall not have any economic and legal responsibility because the use of testing result, or direct and indirect losses, and all legal consequences because of the result. This report is invalid without signatures of approver and special seal for inspection of PONY, or it has been reproduced in full or part. This Report is issued by PONY subject to its General Conditions of Service. Any unauthorized alteration, forgery or falsification of the content is unlawful, offenders may be prosecuted to the fullest extent of the law.

Warning the Anti-Counterfeit

- "PONY Test Report" has exclusive report code, namely, each code corresponds with only one "Test Report".
- "PONY Test Report" is printed by anti-copying paper whose surface shows "PONY" security print with specific anti-counterfeiting technique. Security print will disappear after copying. Duplication are not expected to give "PONY" security print under any circumstances.
- "PONY Test Report" uses anti-counterfeiting paper with watermark which shall show colorless fluorescent "PONY" mark under ultraviolet radiation, e.g. a UV counterfeiting money detector.

Pony Testing International Group

www.ponytest.com ☎Hotline 400-819-5688

Addr: Yingde Building, No. 89-3, Suzhou
Road, Heilong District, Beijing
Tel: 010-62618116
Fax: 010-82819629
E-mail: pony@ponytest.com

Building 33, No. 688, Cuiyong Road,
Xuhui District, Shanghai
Tel: 021-64851999
Fax: 021-64856035
esh@ponytest.com

Building 607, Zhongyuan Industry City,
Changyuan Road, Nantong District, Shenzhen
Tel: 0755-26650909
Fax: 0755-26668336
sh@ponytest.com

No. 2-1, Keyuan Road, Jishi
Park, Luodian District, Qingdao
Tel: 0532-88766866
Fax: 0532-88766877
qd@ponytest.com